

***YiF* 怡豐锁业**
全 球 箱 包 锁 引 领 者

东莞市怡丰锁业有限公司
DONGGUAN YIFENG LOCK CO., LTD

地址/ADD: 东莞市常平镇土塘第一工业路二街1号
NO. 1, 2ND STREET, TUTANG INDUSTRIAL ROAD, CHANGPING
TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, 523581

电话/TEL: 0769-8778 1868

传真/FAX: 0769-8390 9982

www.yiflock.com

嘉兴市怡丰锁业有限公司
JIAXING YIFENG LOCK CO., LTD

地址/ADD: 浙江省嘉兴市平湖新埭镇新晨路888号
NO. 888, XINCHEN ROAD, XINDAI TOWN, PINGHU, JIAXING
CITY, ZHEJIANG PROVINCE, 314211

电话/TEL: 0573-8560 9871
0573-8560 9673

传真/FAX: 0573-8560 9799


info@yiflock.com



扫一扫 关注公众号

***YiF* 怡豐锁业**
全 球 箱 包 锁 引 领 者

SAFE LOCK SAFE TRAVEL
安全守护每一程



COMPANY PROFILES

企业简介

怡豐锁业 全球箱包锁引领者 YiF LOCK LUGGAGE LOCK PIONEER



怡豐锁业创立于1998年，是一家专注于密码锁自主研发、制造、销售为一体的高新技术企业，旗下包含怡丰制造（香港）有限公司、东莞市怡丰锁业有限公司、嘉兴市怡丰锁业有限公司等全资子公司，生产基地位于广东省东莞市、浙江省嘉兴市，自建大型现代化园林式的工厂，厂区总占地面积10余万平方米，绿化面积高达50%，现员工总人数超过1500人，业务涵盖各类箱包锁、五金锁、礼盒锁、防伪锁、智能锁等。

创始人秉持“一辈子、一把好锁”的创业初心，二十余年独具匠心、精耕细作，带领着一支超60人的研发技术团队，整合多领域专业设计人才的设计灵感、突破行业设计思维局限，并与国内外众多优秀设计师展开合作，在产品创新上进行一轮又一轮的思想碰撞，创造出一个又一个空前的颠覆性的热销产品，获得市场一致好评及认可。采用怡丰创新锁具的箱包更是多次荣获红点、IF等多项国际大奖。经过多年的发展与积累，怡丰锁业已经成为全球最大的TSA（海关）锁具制造商，销量占据全球箱包锁中高端市场50%以上的份额，陪伴超过10亿人的出行，产品畅销美国、德国、法国、意大利、英国、日本、韩国等170多个国家和地区。

Founded in 1998, YiFeng is a high-tech enterprise focusing on R & D, manufacturing and selling of combination lock, including all kinds of luggage lock, hardware lock, gift box lock, anti-counterfeiting lock, digital lock and luggage accessory. YiFeng group consists of YiFeng manufacturing (Hong Kong) Co., Ltd., Dongguan YiFeng lock industry Co., Ltd., Jiaxing YiFeng lock industry Co., Ltd. and other wholly-owned subsidiaries. With modern manufacturing base located at Dongguan City, Guangdong Province and Jiaxing City, Zhejiang Province, YiFeng covers a total area of more than 100,000 square meters, with greening area reaches 50%. At present, the total number of employees is more than 1500.

Adhering to the entrepreneurial original intention of "a lifetime for a good lock", the founder has led a R & D team of more than 60 people and integrated the inspiration of professional design talents in various fields to break through the design limitations. Also cooperating with different excellent designers at home and abroad to carry out rounds of ideological collision in product innovation, YiFeng has created one after another unprecedented and subversive hot selling products, which have been highly recognized by the market. The travel luggage mounted with YiFeng innovative locks have even won many international awards such as red dot, IF and so on. Occupying more than 50% market share of medium to high end luggage lock, YiFeng is the largest TSA lock manufacturer globally with product selling well in more than 170 countries and regions, accompanying more than 1 billion travelers.



20⁺年
专注箱包锁制造

700⁺
国内外专利

50%
高端箱包市场接
近50%份额

10⁺亿
陪伴超过10亿
人的出行

强大的技术实力和完善的知识产权体系，在全球具有 "YIF" 及 "JUST" 两大品牌，至今拥有700多个国内外专利，其中包含国内发明专利120多个、6个国外专利及15个国际PCT专利，荣获广东省精密机械密码锁设计工程技术研究中心、广东省知识产权示范企业、专利优秀奖等荣誉称号。

追求产品研发创新的同时，更注重产品的品质和工作质量的提升。在激烈的市场竞争中，始终守住品质这条生命线，坚持选用国际高端的进口原材料，针对产品不同部位的强度需求科学选材和严格的来料检测，确保用材出品在抗老化、抗腐蚀、性能强度等物理测试以及环保化学测试上表现优异。凭借多年的品控积累和现代化管理模式，建立了一套完善的质量管理体系，拥有一批高素质的专业品控管理团队，自建了严谨的验证、检测标准及规范的生产管理体系，确保每一款产品诞生之前，都能经过多达16个环节的结构验证，同时须通过本厂15项核心性能指标的最高测试标准，确保在机械结构、物理性能、化学特性等方面都稳定、可靠。

With strong technical strength and perfect IP system, YiFeng has YiF and Just two brands, 700+ domestic and foreign patents, including 120+ domestic invention patents, 6 foreign patents and 15 international PCT, which contributes to win the titles of Guangdong Intellectual Property Demonstration Enterprise, Guangdong design and engineering research center of precise mechanical code lock and so on.

While pursuing product innovation, YiFeng pays more attention to the improvement of product quality. In the fierce market competition, YiFeng always keeps the lifeline of quality, insists to use international high-end imported raw materials, scientifically selects materials and strictly inspects incoming materials according to the strength requirements of different parts on the products, so as to ensure the good performance of product in physical tests such as aging, corrosion resistance, strength, etc. and also chemical tests. With years of quality control accumulation and modern management experience, YiFeng has established a complete quality management system, built a professional quality control team along with the rigorous verification, testing standard and standardized production management system. Before the mass production of a new product, it should be qualified for 16 different mechanical verifications and the highest standard of 15 core performance test to ensure its stability and reliability on mechanism, physic and chemistry.

YiF 怡豐锁业

SAFE LOCK SAFE TRAVEL

安全守护每一程

YiF[®]


Young

insurance

Fashion

“YiF”作为怡丰出品的标识，存在于每一个箱包锁上，已成为全球客户认可的一张高品质名片，是品质信任的保障。每年有超过4000万个“YiF”锁陪伴着用户行走于世界每一个角落。

它代表着Young（朝气），insurance（保障）及Fashion（时尚）的产品理念，同时也承载着怡丰人对客户的默默祝福，愿每一位用户“出行更安全，生活更安心”。



全球箱包锁引领者

TRAVEL WITH YOU

创新

专心

品质

匠心

交期

恒心


服务

用心

怡豐风采



部分自动化设备





箱包震荡冲击试验机、双翼跌落测试机、成品锁滚筒测试机


QUALITY ASSURANCE

品质保障
全程无忧

部分检测设备展示

16个
环节结构验证

15项
核心性能指标



拉链片寿命测试仪



锁芯、密码轮寿命测试仪



二点五次元影像测量仪



开关/弹簧力度测试仪



盐雾测试机



紫外加速耐候试验机和恒温恒湿试验机



数显维硬度计






弹簧试验机



镀层测厚仪



箱包滚筒试验机



全球箱包锁引领者

COMPANY HONOR

企业荣誉

部分企业资质展示

荣获TSA海关锁最佳品质管理金奖、最具创新金奖以及卓越客户服务金奖

CONTENTS

目录

01

箱包挂锁

TRAVEL LUGGAGE PADLOCK

05 TSA旅行挂锁 TSA TRAVEL PADLOCK

19 非TSA旅行挂锁 NON-TSA TRAVEL PADLOCK

02

箱包织带锁

TRAVEL LUGGAGE STRAP LOCK

25 TSA织带锁 TSA STRAP LOCK

28 非TSA织带锁 NON-TSA STRAP LOCK

03

五金挂锁

HEAVY DUTY PADLOCK

29-36

04

U型锁

U SHAPE LOCK

37-44

05

钢丝绳锁

CABLE LOCK

45-48

06


笔记本电脑锁

LAPTOP LOCK

49-52

TRAVEL LUGGAGE PADLOCK

箱包挂锁




01 TRAVEL LUGGAGE PADLOCK 箱包挂锁

- 05 TSA五金挂锁
TSA Hardware Padlock
- 06 钢丝绳TSA挂锁
Cable TSA Padlock
- 10 分体式TSA挂锁
Split-type TSA Padlock
- 11 带海关检查提示柱的TSA挂锁
TSA Padlock With Indicating Pole Feature
- 13 其它金属壳锁钩密码挂锁
Shackle TSA Padlock With Metal Housing
- 15 其它塑胶壳锁钩密码挂锁
Shackle TSA Padlock With Plastic Housing
- 18 可伸缩钢丝绳挂锁
Retractable Cable Padlock
- 19 非TSA旅行挂锁
Non-TSA Travel Padlock

TSA HARDWARE PADLOCK


TSA五金挂锁

适用于工具箱、乐器箱等
designed for instrument
box and tool case travel use



CABLE TSA PADLOCK


钢丝绳TSA挂锁



TSA17067

TSA006安全锁芯五金挂锁
With the most secure TSA006 cylinder

产品型号/Item No.: TSA17067	专利号/PAT No.: 201830034169.8	尺寸/Dimension: 41.2x18.0x85.3mm
锁钩直径/Diameter of Shackle: φ6.0mm	锁钩间距/Distance between shackle 18.0mm	
净重/N.W. 166.8g	材质/Material 锌合金/zinc alloy	TSA锁芯/Cylinder TSA006



TSA2A029

下拨开锁
Rotate to Unlock

产品型号/Item No.: TSA2A029	专利号/PAT No.: 202011078838.4	尺寸/Dimension: 31.8x16.8x91.3mm
钢丝绳尺寸/Cable Diameter φ3.0x86mm	净重/N.W. 62.3g	材质/Material 锌合金/zinc alloy
		TSA锁芯/Cylinder TSA007

▶ 备注/remark: 可选用塑胶密码轮或金属密码轮



TSA19002

产品型号/Item No.: TSA19002	专利号/PAT No.: 201920345440.9	尺寸/Dimension: 31.0x14.0x82.7mm
钢丝绳尺寸/Cable Diameter φ3.0x97mm	净重/N.W. 69.4g	材质/Material 锌合金/zinc alloy
		TSA锁芯/Cylinder TSA007

CABLE TSA PADLOCK

钢丝绳TSA挂锁




TSA18107

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA18107	201910119567.3	42.9x14.5x85.6mm

钢丝绳尺寸/Cable Diameter	净重/N.W.	材质/Material
φ3.0x97mm	59.8g	锌合金/zinc alloy


TSA锁芯/Cylinder
TSA007



TSA19001

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA19001	201920058329.1	31.1x14.1x82.6mm

钢丝绳尺寸/Cable Diameter	净重/N.W.	材质/Material	TSA锁芯/Cylinder
φ3.0x97mm	24.3g	PC	TSA007



TSA13223

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA13223	201420723447.7	53.6x15.9x54.5mm

钢丝绳尺寸/Cable Diameter	净重/N.W.	材质/Material
φ3.0x82mm	58.7g	锌合金/zinc alloy

TSA锁芯/Cylinder
TSA007





TSA21105B

产品型号/Item No.: TSA21105B	专利号/PAT No.: 201720086093.3	尺寸/Dimension: 33.0x14.0x100mm
钢丝绳尺寸/Cable Diameter φ3.0x132mm	净重/N.W. 60g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		



TSA719C

产品型号/Item No.: TSA719C	专利号/PAT No.: 200830042737.5	尺寸/Dimension: 32.4x14.0x101.5mm
钢丝绳尺寸/Cable Diameter φ3.0x132mm	净重/N.W. 63g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		



TSA21100V

产品型号/Item No.: TSA21100V	专利号/PAT No.: 201030618673.6	尺寸/Dimension: 33.7x14.6x101mm
钢丝绳尺寸/Cable Diameter φ3.0x132mm	净重/N.W. 31.6g	材质/Material PC
TSA锁芯/Cylinder TSA007		

专利产品仿冒必究 | patent protected

SPLIT-TYPE
TSA PADLOCK
分体式TSA挂锁



TSA13226

产品型号/Item No.: TSA13226	专利号/PAT No.: 201420723599.7	尺寸/Dimension: 15.4x15.4x81.2mm
钢丝绳尺寸/Cable Diameter φ3.0x47mm	净重/N.W. 50.6g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		



TSA16163

产品型号/Item No.: TSA16163	专利号/PAT No.: 201720028571.5	尺寸/Dimension: 20.1x15.9x109.1mm
钢丝绳尺寸/Cable Diameter: φ3.0x47mm	净重/N.W. 64.9g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		

专利产品仿冒必究 | patent protected

TSA PADLOCK WITH INDICATING POLE FEATURE

带海关检查提示柱的TSA挂锁



TSA12068

海关开锁提醒
with red dot as openning indication

产品型号/Item No.: TSA12068	专利号/PAT No.: 201110212187.8	尺寸/Dimension: 32.0x14.0x61.0mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 60.8g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		



Normal status



After inspected



TSA21152

海关开锁提醒
with red dot as openning indication

产品型号/Item No.: TSA21152	专利号/PAT No.: 201110212187.8	尺寸/Dimension: 31.6x14.0x63.3mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 27.5g	材质/Material PC
TSA锁芯/Cylinder TSA007		



TSA12022C

海关开锁提醒
with red dot as openning indication

产品型号/Item No.: TSA12022C	专利号/PAT No.: 201110212187.8	尺寸/Dimension: 31.0x14.0x59.0mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 72.0g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		

SHACKLE TSA PADLOCK WITH METAL HOUSING

其它金属壳锁钩密码挂锁



TSA301

产品型号/Item No.: TSA301	专利号/PAT No.: 200520058088.9	尺寸/Dimension: 27.0x14.0x57.0mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 56.8g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		



TSA21009

产品型号/Item No.: TSA21009	专利号/PAT No.: 201030618703.3	尺寸/Dimension: 29.5x14.0x60.5mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 61.3g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		

专利产品仿冒必究 | patent protected



TSA331

产品型号/Item No.: TSA331	专利号/PAT No.: 200730055759.0	尺寸/Dimension: 30.5x14.0x59.5mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 60.7g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		



TSA309

产品型号/Item No.: TSA309	专利号/PAT No.: 200520058088.9	尺寸/Dimension: 29.0x14.0x66.5mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 70.1g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		



TSA21031

产品型号/Item No.: TSA21031	专利号/PAT No.: 201030526474.2	尺寸/Dimension: 29.4x14.0x60.0mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 63.7g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		



TSA330

产品型号/Item No.: TSA330	专利号/PAT No.: 200730055758.6	尺寸/Dimension: 31.0x14.0x69.0mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 71.2g	材质/Material 锌合金/zinc alloy
TSA锁芯/Cylinder TSA007		

专利产品仿冒必究 | patent protected

SHACKLE TSA PADLOCK WITH PLASTIC HOUSING

其它塑胶壳锁钩密码挂锁



TSA21037

产品型号/Item No.: TSA21037	专利号/PAT No.: 201030526325.6	尺寸/Dimension: 30.0x14.0x67.0mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 29.5g	材质/Material PC
TSA锁芯/Cylinder TSA007		



TSA338

产品型号/Item No.: TSA338	专利号/PAT No.: 200830042738.X	尺寸/Dimension: 33.0x14.0x66.0mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 35.4g	材质/Material PC
TSA锁芯/Cylinder TSA007		

专利产品仿冒必究 | patent protected



TSA335

产品型号/Item No.: TSA335	专利号/PAT No.: 200520058088.9	尺寸/Dimension: 30.0x14.0x63.0mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 34.5g	材质/Material PC
TSA锁芯/Cylinder TSA007		



TSA13209

产品型号/Item No.: TSA13209	专利号/PAT. 201430386983.8	尺寸/Dimension 32.4x16.4x61.5mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 28.8g	材质/Material PC
TSA锁芯/Cylinder TSA007		

专利产品仿冒必究 | patent protected

KEY TSA PADLOCK

钥匙TSA挂锁



TSA326B-1

产品型号/Item No.: TSA326B-1	尺寸/Dimension: 28.5x16.2x43.0mm	锁钩直径/Diameter of Shackle φ3.2mm
净重/N.W. 33.7g	材质/Material ABS	TSA锁芯/Cylinder TSA007



TSA21011

产品型号/Item No.: TSA21011	尺寸/Dimension 19.3x12.0x39.8mm	锁钩直径/Diameter of Shackle φ3mm
净重/N.W. 33.7g	材质/Material 锌合金/zinc alloy	TSA锁芯/Cylinder TSA007

RETRACTABLE CABLE PADLOCK

可伸缩钢丝绳挂锁



YF20972

多功能挂锁
Multi-Function Padlock

产品型号/Item No.: YF20972	专利号/PAT No.: 200930251491.7	尺寸/Dimension: 56.7x22.0x78.3 mm
净重/N.W. 51.2g	材质/Material ABS	钢丝绳尺寸/Cable Diameter φ1.6x850mm



NON-TSA
TRAVEL PADLOCK

非TSA旅行挂锁



NON-TSA
TRAVEL PADLOCK

非TSA旅行挂锁




YF19623

分体式挂锁
Split-Type Padlock

产品型号/Item No.: YF19623	专利号/PAT No.: 201720028571.5	尺寸/Dimension: 20.0x16.0x96.7mm
钢丝绳直径/Diameter of Cable φ3.0mm	净重/N.W. 16.5g	材质/Material PC

► 参考使用场景

- 1.用该锁把背包与公众场合(如机场)里的座椅扶手、高铁座位上方行李架锁在一起,短时间能提供看护功能,避免行李丢失。
- 2.用该锁的钢丝绳同时串起背包上的多个拉链片并锁上,避免背包在人员聚集的公众场合被打开。



YF2A632

适用于背包、头盔等
design for backpack and helmet use

产品型号/Item No.: YF2A632	专利号/PAT No.: 202030308862.7	尺寸/Dimension: 53.5x14.0x65.5mm
钢丝绳直径/Diameter of Cable φ3.0mm	净重/N.W. 63.2g	材质/Material 锌合金/zinc alloy



YF20926

产品型号/Item No.: YF20926	专利号/PAT No.: 200930251492.1	尺寸/Dimension: 30.2x14.0x96.1mm
钢丝绳尺寸/Cable Diameter φ3.0x132mm	净重/N.W. 46.1g	材质/Material 锌合金/zinc alloy

NON-TSA TRAVEL PADLOCK

非TSA旅行挂锁



YF20628

产品型号/Item No.: YF20628	专利号/PAT No.: 200520057233.1	尺寸/Dimension: 29.8x14.1x66.4mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 55.7g	材质/Material 锌合金/zinc alloy



YF21066

产品型号/Item No.: YF21066	专利号/PAT No.: 200520057233.1	尺寸/Dimension: 29.1x14.0x61.9mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 32.5g	材质/Material ABS



YF20710

产品型号/Item No.: YF20710	专利号/PAT No.: 200520057233.1	尺寸/Dimension 30.7x14.0x59.0mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 45.5g	材质/Material 锌合金/zinc alloy




YF20331

产品型号/Item No.: YF20331	专利号/PAT No.: 200520057233.1	尺寸/Dimension: 27.9x14.0x56.7mm
锁钩直径/Diameter of Shackle φ3.5mm	净重/N.W. 40.7g	材质/Material 锌合金/zinc alloy

LUGGAGE STRAP LOCK

箱包织带锁



02 LUGGAGE STRAP LOCK 箱包织带锁

- 25 TSA织带锁
Tsa Strap Lock
- 28 非TSA织带锁
Non-tsa Strap Lock



TSA STRAP LOCK

TSA织带锁



TSA STRAP LOCK

TSA织带锁



TSA12016

专利C型插扣, 无惧高低温等极端环境
patent protected design, durable even under extreme condition



产品型号/Item No.: TSA12016	专利号/PAT. 201220310619.9	尺寸/Dimension: 104.8x67.7x19.1mm
插扣锁净重/Lock N.W. 79.3g	搭配织带宽度/Width of Strap 5cm	材质/Material ABS



海关开锁提醒
with red dot as opening indication

TSA319C

专利C型插扣, 无惧高低温等极端环境
patent protected design, durable even under extreme condition



产品型号/Item No.: TSA319C	专利号/PAT. 200920058481.6	尺寸/Dimension: 103.0x67.0x20.0mm
净重/N.W. 75.4g	搭配织带宽度/Width of Strap 5cm	材质/Material ABS

TSA STRAP LOCK

TSA织带锁

NON-TSA STRAP LOCK

非TSA织带锁



TSA21016

专利C型插扣, 无惧高低温等极端环境
patent protected design, durable even under extreme condition

产品型号/Item No.: TSA21016	专利号/PAT. 200920058481.6	尺寸/Dimension: 103.0x67.0x18.0mm
净重/N.W. 75.3g	搭配织带宽度/Width of Strap 5cm	材质/Material ABS



YF21065



专利C型插扣, 无惧高低温等极端环境
patented protected design, durable even under extreme condition

产品型号/Item No.: YF21065	专利号/PAT. 201030158149.5	尺寸/Dimension: 103.0x67.0x18.0mm
插扣锁净重/Lock N.W. 62.0g	搭配织带宽度/Width of Strap 5cm	材质/Material ABS



HEAVY DUTY PADLOCK

五金挂锁



03 HEAVY DUTY PADLOCK 五金挂锁

HEAVY DUTY PADLOCK

五金挂锁




YF2A663

加硬锁钩/harden steel shackle

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF2A663	202011595595.1	84.5x53.6x26.3mm

锁钩直径/Diameter of Shackle	净重/N.W.
φ8.0mm	270g

材质/Material
锌合金/zinc alloy, 45#钢锁钩/45# steel shackle




YF2A663B

加硬锁钩/harden steel shackle

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF2A663B	202011595595.1	108.5x53.6x26.3mm

锁钩直径/Diameter of Shackle	净重/N.W.
φ8.0mm	290.7g

材质/Material
锌合金/zinc alloy, 45#钢锁钩/45# steel shackle




YF20621

加硬锁钩/harden steel shackle


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20621	PCT/CN2006/003407	69.2x72.2x30.5mm

锁钩直径/Diameter of Shackle	净重/N.W.
φ7.0mm	179g

材质/Material
锌合金/zinc alloy, 45#钢锁钩/45# steel shackle



▶ 备注/remark: 5个密码轮=防御升级/5 digit combination= defense upgrade




YF21183

可用管理员钥匙找回密码/ code retrieved by master key

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF21183	201110384615.5	65.5x30.3x12.0mm

锁钩直径/Diameter of Shackle	净重/N.W.
φ4.0mm	68.6g

材质/Material
锌合金/zinc alloy, 易车铁/hard steel shackle



► 适用于企业/学校/健身房等集团组织订单一键设计
design for group order with one master key provided




YF21187

可用管理员钥匙找回密码/ code retrieved by master key

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF21187	201110384615.5	75.3x33.8x13.0mm

锁钩直径/Diameter of Shackle	净重/N.W.
φ4.8mm	97.9g

材质/Material
锌合金/zinc alloy, 易车铁/hard steel shackle



► 适用于企业/学校/健身房等集团组织订单一键设计
design for group order with one master key provided




YF17621

加硬锁钩/harden steel shackle

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF17621	201720885634.9	92.1x45.3x19.8mm

锁钩直径/Diameter of Shackle	净重/N.W.
φ7.0mm	174.8g

材质/Material
锌合金/zinc alloy, 45#钢锁钩/45# steel shackle




YF17621B

加硬锁钩/harden steel shackle

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF17621B	201720885634.9	119.2x45.3x19.8mm

锁钩直径/Diameter of Shackle	净重/N.W.
φ7.0mm	190g

材质/Material
锌合金/zinc alloy, 45#钢锁钩/45# steel shackle






YF20610B

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF20610B	200520057233.1	82.5x44.0x18.0mm

锁钩直径/Diameter of Shackle	净重/N.W.
φ6.0mm	138.9g

材质/Material
锌合金/zinc alloy,易车铁/hard steel shackle



专利产品仿冒必究 | patent protected





YF20610C

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF20610C	200520057233.1	106.7x44.0x18.0mm

锁钩直径/Diameter of Shackle	净重/N.W.
φ6.0mm	150.6g

材质/Material
锌合金/zinc alloy, 易车铁/hard steel shackle



*YF2A663



*YF17621




*YF20610B



*YF20610C

U-SHAPE LOCK

U型鎖



04 U-SHAPE
LOCK
U型鎖

U-SHAPE
LOCK

U型锁





YF2A837B

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF2A837B	CN202111327792.X	117.1x64.4x16.5mm

锁钩直径/Diameter of Shackle	净重/N.W.
φ7.0mm	174g

材质/Material
45#钢锁钩/45#steel shackle, 锌合金锁体/zinc alloy lock body

线形图 Line graph



YF12601C


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF12601C	201230342475.0	434.5x128.9x28.0mm

锁钩直径/Shackle Diameter	净重/N.W.
φ12.0	1197g

材质/Material
45#钢锁钩/45#steel shackle, 锌合金+PP锁体/zinc alloy +PP lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph






YF20708-L

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20708-L	200830050531.7	340.7x123.5x26.2mm

锁钩直径/Shackle Diameter	净重/N.W.
φ14.0	751.8g

材质/Material
易车铁+PVC锁钩/hard steel+PVC shackle, 锌合金+PP锁体/zinc alloy +PP lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow



专利产品仿冒必究 | patent protected




YF20708-S

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20708-S	200830050531.7	226.7x123.5x26.2mm

锁钩直径/Shackle Diameter	净重/N.W.
φ14.0	559.4g

材质/Material
易车铁+PVC锁钩/hard steel+PVC shackle, 锌合金+PP锁体/zinc alloy +PP lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow




YF21055

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF21055	201030158146.1	227.6x146.2x28.0 mm

锁钩直径/Shackle Diameter	净重/N.W.
φ16.0	557g

材质/Material
45#钢锁钩/45# steel shackle, 锌合金+ABS锁体/zinc alloy+ABS lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow




YF21055B

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF21055B	201030158146.1	227.6x146.2x28.0 mm

锁钩直径/Shackle Diameter	净重/N.W.
φ20.0	840g

材质/Material
45#钢锁钩/45# steel shackle, 锌合金+ABS锁体/zinc alloy+ABS lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow



专利产品仿冒必究 | patent protected

U-SHAPE LOCK

U型锁




YF20999

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20999	201410115853.X	235.3x172.3x32.1mm

锁钩直径/Shackle Diameter	净重/N.W.
φ18.0	1127.5g

材质/Material
45#钢+PVC锁钩/45# steel+PVC shackle, 锌合金+ABS锁体/zinc alloy+ABS lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow




YF20999C

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20999C	201410115853.X	237.3x172.3x32.1mm

锁钩直径/Shackle Diameter	净重/N.W.
φ22.0	1470g

材质/Material
45#钢+PVC锁钩/45# steel+PVC shackle, 锌合金+ABS锁体/zinc alloy+ABS lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow



CABLE LOCK

钢丝绳锁



05 CABLE
LOCK
钢丝绳锁

CABLE LOCK

钢丝绳锁



YF20815


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF20815	201020253478.2	99.9x85.5x28.0mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
1.83mx Φ12mm	395.7g

材质/Material
锌合金+尼龙锁体/zinc alloy inner lock body+Nylon housing,
钢丝绳/Steel Wire rope+PVC housing cable, ABS密码轮/ABS dials

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph



YF15613


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF15613	201020253478.2	87.4x74.0x24.8mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
1.83mx Φ10mm	443.6g

材质/Material
锌合金+ABS锁体/zinc alloy inner lock body+ABS housing, 钢丝绳
Steel Wire rope+PVC housing cable, ABS密码轮/ABS dials

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph



YF15613B


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF15613B	201020253478.2	87.4x74.0x24.8mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
1.52mx Φ8mm	302.4g

材质/Material
锌合金+ABS锁体/zinc alloy inner lock body+ABS housing, 钢丝绳
Steel Wire rope+PVC housing cable, ABS密码轮/ABS dials


可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph




LAPTOP LOCK

笔记本电脑锁



06 LAPTOP LOCK 笔记本电脑锁

国际通用电脑锁孔标准
General Laptop Slot Standard



LAPTOP LOCK

笔记本电脑锁




YF2A633

适用于 3.2*4.5mm尺寸的noble wedg 锁孔
fitted with noble wedg slot

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF2A633	201610803322.9	57.1x29.0x13.3mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
φ5.0x2.0mm	145.6g

材质/Material
锌合金锁体/zinc alloy lock boy, 钢丝绳/steel wire rope+PVC housing cable
锌合金密码轮/zinc alloy dials




YF21067C

适用于 3x7mm尺寸的Kensington standard锁孔
fitted with Kensington standard slot

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF21067C	201610803322.9	55.9x27.2x18.3mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
φ5.0x2.0mm	165.1g

材质/Material
锌合金锁体/zinc alloy lock boy, 钢丝绳/steel wire rope+PVC housing cable
锌合金密码轮/zinc alloy dials




YF16603

适用于 2.5x6mm尺寸的Kensington nano锁孔
fitted with Kensington nano slot

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF16603	201610803322.9	55.4x29.0x13.3mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
φ5.0x2.0mm	157.6g

材质/Material
锌合金锁体/zinc alloy lock boy, 钢丝绳/steel wire rope+PVC housing cable
锌合金密码轮/zinc alloy dials





COOPERATION BRAND OF LUGGAGE LOCK

箱包锁合作品牌

按LOGO首字母排序

箱包品牌



COOPERATION BRAND

合作品牌

按LOGO首字母排序

五金挂锁合作品牌



笔记本电脑锁合作品牌



酒瓶盖锁合作品牌



两轮车锁合作品牌



包装礼盒锁合作品牌



商超



平台

