YiF® 怡豐锁业

全 球 箱 包 锁 引 领 者

东莞市怡丰锁业有限公司
DONGGUAN YIFENG LOCK CO., LTD

地址/ADD: 东莞市常平镇土塘第一工业路二街1号

NO. 1, 2ND STREET, TUTANG INDUSTRIAL ROAD, CHANGPING TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, 523581

电话/TEL: 0769-8778 1868

传真/FAX: 0769-8390 9982

www.yiflock.com

嘉兴市怡丰锁业有限公司
JIAXING YIFENG LOCK CO., LTD

地址/ADD: 浙江省嘉兴市平湖新埭镇新晨路888号

NO. 888, XINCHEN ROAD,XINDAI TOWN,PINGHU,JIAXING CITY,ZHEJIANG PROVINCE, 314211

电话/TEL:0573-8560 9871
0573-8560 9673

传真/FAX: 0573-8560 9799

info@yiflock.com

扫一扫 关注公众号

YiF® 怡豐锁业

全 球 箱 包 锁 引 领 者

YiF SAFE TRAVEL MATTERS

安 全 守 护 每 一 程

COMPANY PROFILE
企业简介

怡豐锁业 全球箱包锁引领者　YiF LOCK LUGGAGE LOCK PIONEER






怡豐锁业创立于1998年，是一家专注于密码锁自主研发、制造、销售为一体的高新技术企业，旗下包含怡丰制造（香港）有限公司、东莞市怡丰锁业有限公司、嘉兴市怡丰锁业有限公司等全资子公司，生产基地位于广东省东莞市、浙江省嘉兴市，自建大型现代化园林式的工厂，厂区总占地面积10余万平方米，绿化面积高达50%，现员工总人数超过1500人，业务涵盖各类箱包锁、五金锁、礼盒锁、防伪锁、智能锁等。

创始人秉持**"一辈子、一把好锁"**的创业初心，二十余年独具匠心、精耕细作，带领着一支超60人的研发技术团队，整合多领域专业设计人才的设计灵感、突破行业设计思维局限，并与国内外众多优秀设计师展开合作，在产品创新上进行一轮又一轮的思想碰撞，创造出一个又一个空前的颠覆性的热销产品，获得市场一致好评及认可。采用怡丰创新锁具的箱包更是多次荣获红点、IF等多项国际大奖。经过多年的发展与积累，怡丰锁业已经成为全球最大的TSA（海关）锁具制造商，销量占据全球箱包锁中高端市场50%以上的份额，陪伴超过10亿人的出行，产品畅销美国、德国、法国、意大利、英国、日本、韩国等170多个国家和地区。

Founded in 1998, YiFeng is a high-tech enterprise focusing on R & D, manufacturing and selling of combination lock, including all kinds of luggage lock, hardware lock, gift box lock, anti-counterfeiting lock, digital lock and luggage accessory. YiFeng group consists of YiFeng manufacturing (Hong Kong) Co., Ltd., Dongguan YiFeng lock industry Co., Ltd., Jiaxing YiFeng lock industry Co., Ltd. and other wholly-owned subsidiaries. With modern manufacturing base located at Dongguan City, Guangdong Province and Jiaxing City, Zhejiang Province, YiFeng covers a total area of more than 100,000 square meters, with greening area reaches 50%. At present, the total number of employees is more than 1500.

Adhering to the entrepreneurial original intention of "a lifetime for a good lock", the founder has led a R & D team of more than 60 people and integrated the inspiration of professional design talents in various fields to break through the design limitations. Also cooperating with different excellent designers at home and abroad to carry out rounds of ideological collision in product innovation, YiFeng has created one after another unprecedented and subversive hot selling products, which have been highly recognized by the market. The travel luggage mounted with YiFeng innovative locks have even won many international awards such as red dot, IF and so on. Occupying more than 50% market share of medium to high end luggage lock, YiFeng is the largest TSA lock manufacturer globally with product selling well in more than 170 countries and regions, accompanying more than 1 billion travelers.

25+年
专注箱包锁制造

700+个
国内外专利

50%
高端箱包市场接近50%份额

10+亿
陪伴超过10亿人的出行

强大的技术实力和完善的知识产权体系，在全球具有"YIF"及"JUST"两大品牌，至今拥有700多个国内外专利，其中包含国内发明专利120多个、6个国外专利及15个国际PCT专利，荣获广东省精密机械密码锁设计工程技术研究中心、广东省知识产权示范企业、专利优秀奖等荣誉称号。

追求产品研发创新的同时，更注重产品的品质和工作质量的提升。在激烈的市场竞争中，始终守住品质这条生命线，坚持选用国际高端的进口原材料，针对产品不同部位的强度需求科学选材和严格的来料检测，确保用材出品在抗老化、抗腐蚀、性能强度等物理测试以及环保化学测试上表现优异。凭借多年的品控积累和现代化管理模式，建立了一套完善的质量管理体系，拥有一批高素质的专业品控管理团队，自建了严谨的验证、检测标准及规范的生产管理体系，确保每一款产品诞生之前，都能经过多达16个环节的结构验证，同时须通过本厂15项核心性能指标的最高测试标准，确保在机械结构、物理性能、化学特性等方面都稳定、可靠。

With strong technical strength and perfect IP system, YiFeng has YiF and Just two brands, 700+ domestic and foreign patents, including120+ domestic invention patents, 6 foreign patents and 15 international PCT, which contributes to win the titles of Guangdong Intellectual Property Demonstration Enterprise, Guangdong design and engineering research center of precise mechanical code lock and so on.

While pursuing product innovation, YiFeng pays more attention to the improvement of product quality. In the fierce market competition, YiFeng always keeps the lifeline of quality, insists to use international high-end imported raw materials, scientifically selects materials and strictly inspects incoming materials according to the strength requirements of different parts on the products, so as to ensure the good performance of product in physical tests such as aging, corrosion resistance, strength, etc. and also chemical tests. With years of quality control accumulation and modern management experience, YiFeng has established a complete quality management system, built a professional quality control team along with the rigorous verification, testing standard and standardized production management system. Before the mass production of a new product, it should be qualified for 16 different mechanical verifications and the highest standard of 15 core performance test to ensure its stability and reliability on mechanism, physic and chemistry.




SAFE LOCK SAFE TRAVEL

安全守护每一程

YiF®

Young insurance Fashion



“**YiF**”作为怡丰出品的标识，存在于每一个箱包锁上，已成为全球客户认可的一张高品质名片，是品质信任的保障。每年有超过4000万个“**YiF**”锁陪伴着用户行走于世界每一个角落。

它代表着**Y**oung（朝气），**i**nsurance（保障）及**F**ashion（时尚）的产品理念，同时也承载着怡丰人对客户的默默祝福，愿每一位用户**“出行更安全，生活更安心”**。

TRAVEL WITH YOU

创新 专心

品质 匠心

交期 恒心

服务 用心

公司拥有一批具有国际先进管理经验的管理人才和高素质的专业营销团队，始终以“**创新、质量、服务**”作为企业的核心竞争力，恪守“**视品质为企业生命**”的经营理念，追求精益求精，关注每个细节、严控每道工艺，做好每一把锁；

积极响应国家“十二五”制造业升级规划，努力学习、应用精益思维，不断导入自动化生产设备，逐步实现由传统制造业生产向现代化、自动化生产转型升级，为产品质量稳定、交期准时打下了扎实的基础。

坚持以“精创新、高品质、准交期、优服务”的战略目标，以持续创新的产品、匠心雕琢的品质、准时稳定的交期、优质热忱的服务，力争为每一位客人提供优质的产品和满意的服务。

始终秉承**“以客户为中心，以奋斗者为本，以共同发展为荣”**的核心价值观，不断为客户创造高价值，提升客户满意度。

成为**“客户信赖、员工爱戴、社会尊重”**的模范企业，是怡丰的发展愿景，同时也是每位怡丰人努力的方向。

“光明正大、恪守礼节、团结友好、感恩图报、发奋图强”是创始人坚守的精神信条，也是每位怡丰人处事的人生准则。

我们有理由相信，与时俱进的怡丰人，凭借精创新、高质量、准交期和优服务，定会为您提供最好的设计方案和优质产品。



迎宾大道Welcome Avenue


行政大楼Administrative Building


模具车间Moulding Workshop


注塑车间Injection Workshop


组装车间Assembly Workshop


研发中心R&D Center


销售中心Sales&Marketing Center



压铸车间Die Casting Workshop


冲压车间Stamping Workshop


喷漆车间Coating Workshop

YiF SAFE TRAVEL MATTERS

安全守护每一程







箱包震荡冲击试验、双翼跌落测试、成品锁滚筒测试
Luggage Oscillation Impact Test、Dual-Wing Drop Test、Finished Lock Tumbler Test

QUALITY ASSURANCE

品质保障
全程无忧



箱包行走磨耗试验
Luggage Tread mill Wear Test

部分检测设备展示
DISPLAY OF SOME TEST

16个
环节结构验证
MECHANISM VERIFICATION

15项
核心性能指标
CORE PERFORMANCE METRICS



弹簧试验
Spring Test



镀层厚度测试
Coating Thickness Test



箱包滚筒试验
Luggage Tumbling Test




锁钩寿命测试
Lock Hook Durability Test



盐雾测试
Salt Spray Test



锁芯、密码轮寿命测试
Lock Core and Dial Durability Test



二点五次元影像测量
2.5D Vision Measuring



开关/弹簧力度测试
Switch/Spring Force Test



数显显维硬度测量
Digital Vickers Hardness Test



紫外加速耐候试验
UV Resistance Test

COMPANY HONOR
企业部分荣誉展示

2025年红点设计奖获得者
Red Dot Design Award 2025 Winner

2025年iF设计奖获得者
IF Design Award 2025 Winner

2025年A' 设计大奖赛获得者
A'design Award 2025

2025年米兰设计奖获得者
Milan Design Awards 2025

2025年缪斯设计奖获得者
Muse Design Awards 2025



怡丰免螺丝安装锁
荣获2025年iF设计奖
YiF No-screw Assembly Lock
Awarded By IF Design 2025



怡丰免螺丝安装锁
荣获2025年A' 设计大奖赛
YiF No-screw Assembly Lock Awarded By A'design Award Design 2025



五金挂锁YF2A663荣获
2025年缪斯设计银奖
Hardware Lock YF2A633
Awarded By Muse Design 2025



中控边锁TSA17003
荣获2025年米兰设计银奖
Central Control Lock TSA17003
Awarded by Milan Design 2025

连续八年TSA海关锁销量第一
荣获TSA海关锁最佳品质管理金奖
最具创新金奖以及卓越客户服务金奖

TRAVEL SENTRY

Biggest TSA Lock Manufacturer of Annual Lock Volume from Year 2015 to 2023
Gold Winner of Best Quality Manufacturer
Gold Winner of Most Innovative Manufacturer
Gold Winnerof Excellent customer Service

广东省知识产权示范单位
广东省精密机械密码锁设计工程技术研究中心
全国箱包锁行业质量领先企业
高新技术企业
专精特新企业

Guangdong Province Intellectual Property Demonstration Unit
Guangdong Province Engineering Technology Research Center Of Precision Mechanical Combination Lock Design
National Leading Quality Enterprise In Luggage Lock Industry
Innovative Technology Enterprise
Specialized, Refined, Unique, and Innovative Enterprise









CONTENTS

目录

01

箱包挂锁
TRAVEL LUGGAGE PADLOCK

05 TSA旅行挂锁 TSA TRAVEL PADLOCK
19 非TSA旅行挂锁 NON-TSA TRAVEL PADLOCK

02

箱包织带锁
TRAVEL LUGGAGE STRAP LOCK

25 TSA织带锁 TSA STRAP LOCK
28 非TSA织带锁 NON-TSA STRAP LOCK

03

五金挂锁
HEAVY DUTY PADLOCK

29-36

04

U型锁
U SHAPE LOCK

37-44

05

钢丝绳锁
CABLE LOCK

45-48

06

笔记本电脑锁
LAPTOP LOCK


49-52

YiF® 怡豐锁业

全球箱包锁引领者

TRAVEL LUGGAGE PADLOCK

箱包挂锁





01 TRAVEL LUGGAGE PADLOCK 箱包挂锁

05 TSA五金挂锁
TSA Hardware Padlock

06 钢丝绳TSA挂锁
Cable TSA Padlock

10 分体式TSA挂锁
Split-type TSA Padlock

11 带海关检查提示柱的TSA挂锁
TSA Padlock With Indicating Pole Feature

13 其它金属壳锁钩密码挂锁
Shackle TSA Padlock With Metal Housing


15 其它塑胶壳锁钩密码挂锁
Shackle TSA Padlock With Plastic Housing

18 可伸缩钢丝绳挂锁
Retractable Cable Padlock

19 非TSA旅行挂锁
Non-TSA Travel Padlock

TSA HARDWARE PADLOCK

TSA五金挂锁



适用于工具箱、乐器箱等
designed for instruement box and tool case travel use





TSA17067


TSA006安全锁芯五金挂锁
With the most secure TSA006 cylinder

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA17067	201830034169.8	41.2x18.0x85.3mm

锁钩直径/Diameter of Shackle:	锁钩间距/Distance between shackle
ϕ6.0mm	18.0mm

净重/N.W.	材质/Material	TSA锁芯/Cylinder
166.8g	锌合金/zinc alloy	TSA006

线形图 Line graph



专利产品仿冒必究 | patent protected

CABLE TSA PADLOCK

钢丝绳TSA挂锁





TSA2A029

下拨开锁
Rotate to Unlock

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA2A029	202011078838.4	31.8x16.8x91.3mm

钢丝绳尺寸/Cable Diameter	净重/N.W.	材质/Material	TSA锁芯/Cylinder
ϕ3.0x86mm	62.3g	锌合金/zinc alloy	TSA007

▶ 备注/remark: 可选用塑胶密码轮或金属密码轮



TSA19002

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA19002	201920345440.9	31.0x14.0x82.7mm

钢丝绳尺寸/Cable Diameter	净重/N.W.	材质/Material	TSA锁芯/Cylinder
ϕ3.0x97mm	69.4g	锌合金/zinc alloy	TSA007

专利产品仿冒必究 | patent protected

CABLE TSA PADLOCK

钢丝绳TSA挂锁





TSA18107

产品型号/Item No.:
TSA18107

专利号/PAT No.:
201910119567.3

尺寸/Dimension:
42.9x14.5x85.6mm


钢丝绳尺寸/Cable Diameter
ϕ3.0x97mm

净重/N.W.
59.8g

材质/Material
锌合金/zinc alloy

TSA锁芯/Cylinder
TSA007

线形图 Line graph





TSA19001

产品型号/Item No.:
TSA19001

专利号/PAT No.:
201920058329.1

尺寸/Dimension:
31.1x14.1x82.6mm


钢丝绳尺寸/Cable Diameter
ϕ3.0x97mm

净重/N.W.
24.3g

材质/Material
PC

TSA锁芯/Cylinder
TSA007

线形图 Line graph







TSA13223

产品型号/Item No.:
TSA13223

专利号/PAT No.:
201420723447.7

尺寸/Dimension:
53.6x15.9x54.5mm

钢丝绳尺寸/Cable Diameter
ϕ3.0x82mm

净重/N.W.
58.7g

材质/Material
锌合金/zinc alloy

TSA锁芯/Cylinder
TSA007



TSA21105B

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA21105B	201720086093.3	33.0x14.0x100mm
钢丝绳尺寸/Cable Diameter	净重/N.W.	材质/Material
ϕ3.0x132mm	60g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		



TSA719C

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA719C	200830042737.5	32.4x14.0x101.5mm
钢丝绳尺寸/Cable Diameter	净重/N.W.	材质/Material
ϕ3.0x132mm	63g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		



TSA21100V

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA21100V	201030618673.6	33.7x14.6x101mm
钢丝绳尺寸/Cable Diameter	净重/N.W.	材质/Material
ϕ3.0x132mm	31.6g	PC
TSA锁芯/Cylinder		
TSA007		

专利产品仿冒必究 | patent protected



SPLIT-TYPE TSA PADLOCK

分体式TSA挂锁



TSA13226

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA13226	201420723599.7	15.4x15.4x81.2mm
钢丝绳尺寸/Cable Diameter	净重/N.W.	材质/Material
ϕ3.0x47mm	50.6g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		



TSA16163

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA16163	201720028571.5	20.1x15.9x109.1mm
钢丝绳尺寸/Cable Diameter:	净重/N.W.	材质/Material
ϕ3.0x47mm	64.9g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		

专利产品仿冒必究 | patent protected

TSA PADLOCK WITH INDICATING POLE FEATURE

带海关检查提示柱的TSA挂锁







TSA12068

海关开锁提醒
with red dot as openning indication

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA12068	201110212187.8	32.0x14.0x61.0mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	60.8g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		



Normal status



After inspected

专利产品仿冒必究 | patent protected



TSA21152

海关开锁提醒
with red dot as openning indication

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA21152	201110212187.8	31.6x14.0x63.3mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	27.5g	PC
TSA锁芯/Cylinder		
TSA007		



TSA12022C

海关开锁提醒
with red dot as openning indication

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA12022C	201110212187.8	31.0x14.0x59.0mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	72.0g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		

专利产品仿冒必究 | patent protected

SHACKLE TSA PADLOCK WITH METAL HOUSING

其它金属壳锁钩密码挂锁





TSA301

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA301	200520058088.9	27.0x14.0x57.0mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	56.8g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		



TSA21009

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA21009	201030618703.3	29.5x14.0x60.5mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	61.3g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		

专利产品仿冒必究 | patent protected



TSA331

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA331	200730055759.0	30.5x14.0x59.5mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	60.7g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		



TSA309

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA309	200520058088.9	29.0x14.0x66.5mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	70.1g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		



TSA21031

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA21031	201030526474.2	29.4x14.0x60.0mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	63.7g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		



TSA330

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA330	200730055758.6	31.0x14.0x69.0mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	71.2g	锌合金/zinc alloy
TSA锁芯/Cylinder		
TSA007		

专利产品仿冒必究 | patent protected

SHACKLE TSA PADLOCK WITH PLASTIC HOUSING

其它塑胶壳锁钩密码挂锁



TSA21037

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA21037	201030526325.6	30.0x14.0x67.0mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	29.5g	PC

TSA锁芯/Cylinder
TSA007



TSA338

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA338	200830042738.X	33.0x14.0x66.0mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	35.4g	PC

TSA锁芯/Cylinder
TSA007

专利产品仿冒必究 | patent protected



TSA335

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
TSA335	200520058088.9	30.0x14.0x63.0mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	34.5g	PC

TSA锁芯/Cylinder
TSA007



TSA13209

产品型号/Item No.:	专利号/PAT.	尺寸/Dimension
TSA13209	201430386983.8	32.4x16.4x61.5mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	28.8g	PC

TSA锁芯/Cylinder
TSA007

专利产品仿冒必究 | patent protected

KEY TSA PADLOCK

钥匙TSA挂锁





TSA326B-1

产品型号/Item No.:	尺寸/Dimension:	锁钩直径/Diameter of Shackle
TSA326B-1	28.5x16.2x43.0mm	ϕ3.2mm
净重/N.W.	材质/Material	TSA锁芯/Cylinder
33.7g	ABS	TSA007




TSA21011

产品型号/Item No.:	尺寸/Dimension	锁钩直径/Diameter of Shackle
TSA21011	19.3x12.0x39.8mm	ϕ3mm
净重/N.W.	材质/Material	TSA锁芯/Cylinder
33.7g	锌合金/zinc alloy	TSA007

专利产品仿冒必究 | patent protected

RETRACTABLE CABLE PADLOCK

可伸缩钢丝绳挂锁





YF20972

多功能挂锁
Multi-Function Padlock

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20972	200930251491.7	56.7x22.0x78.3 mm
净重/N.W.	材质/Material	钢丝绳尺寸/Cable Diameter
51.2g	ABS	ϕ1.6x850mm





专利产品仿冒必究 | patent protected

NON-TSA TRAVEL PADLOCK

非TSA旅行挂锁







YF19623

分体式挂锁
Split-Type Padlock

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF19623	201720028571.5	20.0x16.0x96.7mm
钢丝绳直径/Diameter of Cable	净重/N.W.	材质/Material
ϕ3.0mm	16.5g	PC

▶ 参考使用场景

1.用该锁把背包与公众场合（如机场）里的座椅扶手、高铁座位上方行李架锁在一起，短时间能提供看护功能，避免行李丢失。
2.用该锁的钢丝绳同时串起背包上的多个拉链片并锁上，避免背包在人员聚集的公众场合被打开。

专利产品仿冒必究 | patent protected

NON-TSA TRAVEL PADLOCK

非TSA旅行挂锁



YF2A632

适用于背包、头盔等
design for backpack and helmet use

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF2A632	202030308862.7	53.5x14.0x65.5mm
钢丝绳直径/Diameter of Cable	净重/N.W.	材质/Material
ϕ3.0mm	63.2g	锌合金/zinc alloy



YF20926

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20926	200930251492.1	30.2x14.0x96.1mm
钢丝绳尺寸/Cable Diameter	净重/N.W.	材质/Material
ϕ3.0x132mm	46.1g	锌合金/zinc alloy

专利产品仿冒必究 | patent protected

NON-TSA TRAVEL PADLOCK

非TSA旅行挂锁



YF20628

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20628	200520057233.1	29.8x14.1x66.4mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	55.7g	锌合金/zinc alloy



YF21066

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF21066	200520057233.1	29.1x14.0x61.9mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	32.5g	ABS

专利产品仿冒必究 | patent protected



YF20710

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension
YF20710	200520057233.1	30.7x14.0x59.0mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	45.5g	锌合金/zinc alloy




YF20331

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20331	200520057233.1	27.9x14.0x56.7mm
锁钩直径/Diameter of Shackle	净重/N.W.	材质/Material
ϕ3.5mm	40.7g	锌合金/zinc alloy

专利产品仿冒必究 | patent protected

LUGGAGE STRAP LOCK

箱包织带锁



02 LUGGAGE STRAP LOCK 箱包织带锁

25 TSA织带锁 Tsa Strap Lock
28 非TSA织带锁 Non-tsa Strap Lock



TSA STRAP LOCK

TSA织带锁



TSA STRAP LOCK

TSA织带锁






TSA12016

专利C型插扣，无惧高低温等极端环境

patent protected design, durable even under extreme condition

产品型号/Item No.:	专利号/PAT.	尺寸/Dimension:
TSA12016	201220310619.9	104.8x67.7x19.1mm
插扣锁净重/Lock N.W.	搭配织带宽度/Width of Strap	材质/Material
79.3g	5cm	ABS



海关开锁提醒

with red dot as openning indication

专利产品仿冒必究 | patent protected



TSA319C

专利C型插扣，无惧高低温等极端环境

patent protected design, durable even under extreme condition

产品型号/Item No.:	专利号/PAT.	尺寸/Dimension:
TSA319C	200920058481.6	103.0x67.0x20.0mm
净重/N.W.	搭配织带宽度/Width of Strap	材质/Material
75.4g	5cm	ABS

专利产品仿冒必究 | patent protected

TSA STRAP LOCK

TSA织带锁



TSA21016

专利C型插扣，无惧高低温等极端环境
patent protected design, durable even under extreme condition

产品型号/Item No.:	专利号/PAT.	尺寸/Dimension:
TSA21016	200920058481.6	103.0x67.0x18.0mm

净重/N.W.	搭配织带宽度/Width of Strap	材质/Material
75.3g	5cm	ABS



NON-TSA STRAP LOCK

非TSA织带锁





YF21065

专利C型插扣，无惧高低温等极端环境
patented protected design, durable even under extreme condition


产品型号/Item No.:	专利号/PAT.	尺寸/Dimension:
YF21065	201030158149.5	103.0x67.0x18.0mm

插扣锁净重/Lock N.W.	搭配织带宽度/Width of Strap	材质/Material
62.0g	5cm	ABS



HEAVY DUTY PADLOCK

五金挂锁





03 HEAVY DUTY PADLOCK
五金挂锁



HEAVY DUTY PADLOCK

五金挂锁

MUSE DESIGN AWARDS 缪斯设计奖



YF2A663

加硬锁钩/harden steel shackle

产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF2A663	202011595595.1	84.5x53.6x26.3mm


锁钩直径/Diameter of Shackle	净重/N.W.
ϕ8.0mm	270g

材质/Material

锌合金/zinc alloy, 45#钢锁钩/45# steel shackle

获奖：2025年缪斯设计奖

线形图 Line graph





YF2A663B

加硬锁钩/harden steel shackle


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF2A663B	202011595595.1	108.5x53.6x26.3mm

锁钩直径/Diameter of Shackle	净重/N.W.
ϕ8.0mm	290.7g

材质/Material

锌合金/zinc alloy, 45#钢锁钩/45# steel shackle

线形图 Line graph





YF20621

加硬锁钩/harden steel shackle


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20621	PCT/CN2006/003407	69.2x72.2x30.5mm

锁钩直径/Diameter of Shackle	净重/N.W.
ϕ7.0mm	179g


材质/Material

锌合金/zinc alloy, 45#钢锁钩/45# steel shackle

线形图 Line graph



备注/remark: 5个密码轮=防御升级/5 digit combination= defense upgrade



YF21183

可用管理员钥匙找回密码/ code retrieved by master key


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF21183	201110384615.5	65.5x30.3x12.0mm

锁钩直径/Diameter of Shackle	净重/N.W.
ϕ4.0mm	68.6g

材质/Material

锌合金/zinc alloy, 易车铁/hard steel shackle

线形图 Line graph



适用于企业/学校/健身房等集团组织订单
design for group order with one master key provided



YF21187

可用管理员钥匙找回密码/ code retrieved by master key


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF21187	201110384615.5	75.3x33.8x13.0mm

锁钩直径/Diameter of Shackle	净重/N.W.
ϕ4.8mm	97.9g

材质/Material

锌合金/zinc alloy, 易车铁/hard steel shackle

线形图 Line graph



适用于企业/学校/健身房等集团组织订单
design for group order with one master key provided



YF17621

加硬锁钩/harden steel shackle


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF17621	201720885634.9	92.1x45.3x19.8mm

锁钩直径/Diameter of Shackle	净重/N.W.
ϕ7.0mm	174.8g

材质/Material

锌合金/zinc alloy, 45#钢锁钩/45# steel shackle

线形图 Line graph





YF17621B

加硬锁钩/harden steel shackle


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF17621B	201720885634.9	119.2x45.3x19.8mm

锁钩直径/Diameter of Shackle	净重/N.W.
ϕ7.0mm	190g

材质/Material

锌合金/zinc alloy, 45#钢锁钩/45# steel shackle

线形图 Line graph



专利产品仿冒必究 | patent protected



YF20610B


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF20610B	200520057233.1	82.5x44.0x18.0mm

锁钩直径/Diameter of Shackle	净重/N.W.
ϕ6.0mm	138.9g

材质/Material

锌合金/zinc alloy,易车铁/hard steel shackle

线形图 Line graph





YF20610C


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF20610C	200520057233.1	106.7x44.0x18.0mm

锁钩直径/Diameter of Shackle	净重/N.W.
ϕ6.0mm	150.6g


材质/Material

锌合金/zinc alloy, 易车铁/hard steel shackle

线形图 Line graph



专利产品仿冒必究 | patent protected










U-SHAPE LOCK

U型锁





04 U-SHAPE LOCK U型锁



U-SHAPE LOCK

U型锁



YF2A837C


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF2A837C	CN202111327792.X	117.1x64.4x18.9mm

锁钩直径/Diameter of Shackle	净重/N.W.
ϕ7.0mm	172.2g


材质/Material

45#钢锁钩/45#steel shackle, 锌合金锁体/zinc alloy lock body

线形图 Line graph



专利产品仿冒必究 | patent protected





YF12601C

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF12601C	201230342475.0	434.5x128.9x28.0mm

锁钩直径/Shackle Diameter	净重/N.W.
ϕ12.0	1197g


材质/Material

45#钢锁钩/45#steel shackle, 锌合金+PP锁体/zinc alloy +PP lock

可选颜色/Available Colors

黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph



专利产品仿冒必究 | patent protected



YF20708-L


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20708-L	200830050531.7	340.7x123.5x26.2mm

锁钩直径/Shackle Diameter	净重/N.W.
ϕ14.0	751.8g

材质/Material
易车铁+PVC锁钩/hard steel+PVC shackle, 锌合金+PP锁体/zinc alloy +PP lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph





YF20708-S


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20708-S	200830050531.7	226.7x123.5x26.2mm

锁钩直径/Shackle Diameter	净重/N.W.
ϕ14.0	559.4g

材质/Material
易车铁+PVC锁钩/hard steel+PVC shackle, 锌合金+PP锁体/zinc alloy +PP lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph



专利产品仿冒必究 | patent protected



YF21055


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF21055	201030158146.1	227.6x146.2x28.0 mm

锁钩直径/Shackle Diameter	净重/N.W.
ϕ16.0	557g

材质/Material
45#钢锁钩/45# steel shackle, 锌合金+ABS锁体/zinc alloy+ABS lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph





YF21055B


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF21055B	201030158146.1	227.6x146.2x28.0 mm

锁钩直径/Shackle Diameter	净重/N.W.
ϕ20.0	840g

材质/Material
45#钢锁钩/45# steel shackle, 锌合金+ABS锁体/zinc alloy+ABS lock

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph



专利产品仿冒必究 | patent protected

U-SHAPE LOCK

U型锁



专利产品仿冒必究 | patent protected



YF20999

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20999	201410115853.X	235.3x172.3x32.1mm

锁钩直径/Shackle Diameter	净重/N.W.
ϕ18.0	1127.5g


材质/Material

45#钢+PVC锁钩/45# steel+PVC shackle, 锌合金+ABS锁体/zinc alloy+ABS lock

可选颜色/Available Colors

黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph





YF20999C

产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF20999C	201410115853.X	237.3x172.3x32.1mm

锁钩直径/Shackle Diameter	净重/N.W.
ϕ22.0	1470g


材质/Material

45#钢+PVC锁钩/45# steel+PVC shackle, 锌合金+ABS锁体/zinc alloy+ABS lock

可选颜色/Available Colors

黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow


线形图 Line graph




专利产品仿冒必究 | patent protected

CABLE LOCK

钢丝绳锁





05 CABLE LOCK 钢丝绳锁



CABLE LOCK
钢丝绳锁



YF20815


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF20815	201020253478.2	99.9x85.5x28.0mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
1.83mx Φ12mm	395.7g

材质/Material
锌合金+尼龙锁体/zinc alloy inner lock body+Nylon housing,
钢丝绳/Steel Wire rope+PVC housing cable, ABS密码轮/ABS dials

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph





YF15613


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF15613	201020253478.2	87.4x74.0x24.8mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
1.83mx Φ10mm	443.6g

材质/Material
锌合金+ABS锁体/zinc alloy inner lock body+ABS housing, 钢丝绳
Steel Wire rope+PVC housing cable, ABS密码轮/ABS dials

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph





YF15613B


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF15613B	201020253478.2	87.4x74.0x24.8mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
1.52mx Φ8mm	302.4g

材质/Material
锌合金+ABS锁体/zinc alloy inner lock body+ABS housing, 钢丝绳
Steel Wire rope+PVC housing cable, ABS密码轮/ABS dials

可选颜色/Available Colors
黑灰蓝绿红黄 Black/Grey/Blue/Green/Red/Yellow

线形图 Line graph



LAPTOP LOCK

笔记本电脑锁






06 LAPTOP LOCK 笔记本电脑锁


国际通用电脑锁孔标准
General Laptop Slot Standard

肯辛通标准孔




3x7 slot

Noble楔形孔



3.2 x 4.5 slot

肯辛通Nano孔



2.5 x 6 slot

LAPTOP LOCK
笔记本电脑锁





YF2A633

适用于 3.2*4.5mm尺寸的noble wedg 锁孔
fitted with noble wedg slot


产品型号/Item No.:	专利号/PAT No.:	锁体尺寸/Lock Dimension
YF2A633	201610803322.9	57.1x29.0x13.3mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
ϕ5.0mm x 2.0m	145.6g

材质/Material

锌合金锁体/zinc alloy lock boy, 钢丝绳/steel wire rope+PVC housing cable
锌合金密码轮/zinc alloy dials

线形图 Line graph





YF21067C

适用于 3x7mm尺寸的Kensington standard锁孔
fitted with Kensington standard slot


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF21067C	201610803322.9	55.9x27.2x18.3mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
ϕ5.0mm x 2.0m	165.1g

材质/Material

锌合金锁体/zinc alloy lock boy, 钢丝绳/steel wire rope+PVC housing cable
锌合金密码轮/zinc alloy dials

线形图 Line graph





YF16603

适用于 2.5x6mm尺寸的Kensington nano锁孔
fitted with Kensington nano slot


产品型号/Item No.:	专利号/PAT No.:	尺寸/Dimension:
YF16603	201610803322.9	55.4x29.0x13.3mm

钢丝绳尺寸/Cable Dimension	净重/N.W.
ϕ5.0mm x 2.0m	157.6g

材质/Material

锌合金锁体/zinc alloy lock boy, 钢丝绳/steel wire rope+PVC housing cable
锌合金密码轮/zinc alloy dials

线形图 Line graph



COOPERATION BRAND OF LUGGAGE LOCK

箱包锁合作品牌

按LOGO首字母排序

箱包品牌

ACE | ALEXANDER WANG | alloy | AMERICAN TOURISTER | Antler | ARLO SKYE | AWAY

(artrips) | AIRWAY | BENGA | BRICS | BÉIS | BRIGGS & RILEY | bromen

Cäarany | CLOE | CARPISA | CELLINI | CIAK RONCATO | CROWN | cece

CRASH BAGGAGE | Diplomat | DELSEY | DOT - DROPS | D_b_ | ELLE | EASTPAK

ECHOLAC | eminent | EPIC | FORGE | Go | GOYARD | Goldlion

gt | Hanke | hartmann | Hershel | | HORIZN STUDIOS | HLA

i+o | JULY | 1979 | KARL LAGERFELD | KORIN | kipling | LEGEND WALKER

Lipault | LEVEL8 | LOJEL | LONGCHAMP | MARRLVE | MIXI | MONOS

MONT BLANC | 梦旅者 | milsons | mokobara | MINLUBAOLUO | MIYO | 90

NANUK | NATIONAL GEOGRAPHIC | OIWAS | occa | plevo | PIQUADRO | PORSCHE DESIGN

President | PROTECA | RICARDO | RIMOWA | ROAM | ROAMING | RURUKADI

RONCATO | SAMSARA | SOLGAARD | safari | 舒提啦 | TITAN | travelite

Travelpro | TRIPP | TUMI | TUPLUS | TRVLMORE | VIP | VALENTINO

VICTORINOX | VERAGE | WHYTRIP | ZERO HALLIBURTON | ZEGNA | | ……

COOPERATION BRAND

合作品牌

按LOGO首字母排序

五金挂锁合作品牌

ACE International | amazon basics | ASSA ABLOY | BURG WÄCHTER | desired tools | habo | HÄFELE | Master Lock | rolson | STANLEY | Yale | AUKEY | ……

笔记本电脑锁合作品牌

hp | Kensington | SANWA SUPPLY | Targus | ……

酒瓶盖锁合作品牌

汾酒集团 | 酒鬼酒股份有限公司 | 陕西西凤酒股份有限公司 | 贵州习酒 | 泸州老窖 | ……

两轮车锁合作品牌

ACE International | ASSA ABLOY | Master Lock | messingschlager | 无畏帽 | ……

包装礼盒锁合作品牌

OMEGA | 英皇钟表 | 酒鬼酒股份有限公司 | 陕西西凤酒股份有限公司 | 泸州老窖 | ……

商超

ALDI | Auchan | CAINZ | Carrefour 家乐福 | COSTCO WHOLESALE | LIDL | The Home Depot | Walmart | ……

平台

网易严选 | mi | 淘宝心选 | 京东京造 | amazon | ……